

Appendix B

PPE Use Protocol: Sun River Health Staff

Locations	Personnel	PPE Use	Instructions
Direct Patient Contact- <u><i>Non- clinical care</i></u>	Physicians, PA, NP, Clinical Staff (Nurses, MA, MT) Dental Staff (Dentist, DH, DA) Patient Representatives, D & S Specialists, Behavioral Staff, Optometrist, and Podiatrist, Community Engagement staff, Program directors, Art Therapists	<ul style="list-style-type: none"> • KN95 • Full Face Shield, Goggles, or Googles optional • Gloves for non-contact clinical activity (specimen handling, etc) 	<ul style="list-style-type: none"> ▪ Mask upon entry ▪ During Work Hrs @ desk and on floor ▪ Wash or Sanitize Hands after removal of mask ▪ Follow 5 Moments of Hygiene ▪ Double masking with a medical procedure mask is allowed but not required
Direct Patient Contact- <u><i>Clinical Care</i></u>	Physicians, PA, NP, Clinical Staff (Nurses, MA, MT), Phlebotomist, Optometrist, and Podiatrist	<ul style="list-style-type: none"> • N95 user seal checked with surgical mask over • Full Face Shield, Goggles, or Googles • Gloves for patient contact 	<ul style="list-style-type: none"> ▪ Mask upon entry ▪ During Work Hrs @ desk and on floor ▪ Wash or Sanitize Hands after removal of mask ▪ Follow 5 Moments of Hygiene ▪ Double masking with a medical procedure mask
Direct Patient-Contact Dental or Medical <u><i>Aerosolization, High risk of body fluid exposure; COVID Testing for COVID Suspect Cases</i></u>	Dental Staff (Dentist, DH, DA), Medical Staff conducting aerosol generating procedures (ie: Nebulizer treatment, High flow O2 delivery)	<ul style="list-style-type: none"> ▪ Disposable fluid resistant gowns ▪ N95 Mask ▪ Surgical/Procedure Mask over N95 ▪ Full Face Shield or Goggles or Googles ▪ Gloves 	<ul style="list-style-type: none"> ▪ Mask upon entry ▪ During Work Hrs @ desk and on floor ▪ Wash or Sanitize Hands after removal of mask ▪ Follow 5 Moments of Hygiene ▪ Do not use a cloth face mask to protect the medical mask

PPE Use: Sun River Health Staff

Locations	Personnel	PPE Use	Instructions
Direct Patient Contact- Non-Clinical	Patient Representatives, Patient Navigators, Care Managers, and ADHC Staff	<ul style="list-style-type: none"> • KN95 • Googles with Frames and Lenses 	<ul style="list-style-type: none"> ▪ Mask upon entry ▪ During Work Hrs @ desk and on floor ▪ Hand Sanitize before first patient and after each patient ▪ Wash or Sanitize Hands after removal of mask ▪ Follow 5 Moments of Hygiene
Embedded Agencies HRHCare Health Centers- <u>Providing non-clinical Care</u>	WIC, Suffolk County Chest and TB Department	KN95 (inside Administrative or Clinical Space)	<ul style="list-style-type: none"> ▪ Mask upon entry ▪ During Work Hrs @ desk and on floor ▪ Wash or Sanitize Hands after removal of mask ▪ Follow 5 Moments of Hygiene
Administrative/Non-Clinical Locations	All Employees	Procedure Mask or KN95	<ul style="list-style-type: none"> ▪ Mask upon entry ▪ During Work Hrs @ desk and on floor ▪ Wash or Sanitize Hands after removal of mask ▪ Follow 5 Moments of Hygiene

PPE Exceptions

- 1. A face mask is not required if you are working in your office alone. You must wear a face mask when stepping out of your office or when another person enters your office. This includes fully vaccinated individuals.**
- 2. A face mask is not required when eating or drinking**
- 3. Maintain 6 feet of distancing during eating. Stagger lunch breaks among staff as much as possible. Eat alone in an office when available.**

User Seal Check

Check the Seal of Your Filtering Facepiece Respirator Each Time You Don the Respirator.



Positive Pressure User Seal Check

For Non-Valved Respirators

Place both hands completely over the respirator and *exhale*. The respirator should bulge slightly. If air leaks between

the face and facesal of the respirator, reposition it and readjust the nose clip for a more secure seal. If you cannot achieve a proper seal, **do not** enter the contaminated area. See your supervisor.



Negative Pressure User Seal Check

For Valved Respirators

Place both hands over the respirator and *inhale* sharply. The respirator should collapse slightly. If air leaks between the

face and facesal of the respirator, reposition it and readjust the nose clip for a more secure seal. If you cannot achieve a proper seal, **do not** enter the contaminated area. See your supervisor.

Donning and Doffing/CDC Guidance

https://www.cdc.gov/coronavirus/2019-ncov/downloads/A_FS_HCP_COVID19_PPE.pdf